

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20050071651".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L2	14	("20030041077" "20020023122")"pn."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L3	2825	webber.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L4	0	L3 & (XML near city)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L5	30	L3 & (XML)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L6	3	L5 & spreadsheet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L7	6	("20030041077" "20020023122" "6418400").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L8	2	L7 & internal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L9	1	L8 & (user same selection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L10	1	L7 & cell	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L11	0	L7 & grid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L12	3	L7 & field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L13	0	L7 & xnrl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L14	2	L7 & xbrl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L15	5	L7 & (metadata markup xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L16	2	L15 & head\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L17	2	L15 & definition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L18	0	L7 & (column near head\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L19	0	L7 & (column same head\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L20	0	L7 & (column same head\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L21	0	L7 & ((column row) same head\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L22	0	L7 & (dimensional)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L23	1	L7 & (dimension\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L24	5526	715/234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L25	1936	715/216-229.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L26	1936	(715/216-229).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L27	330	L24 & L25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L28	7132	L24 L25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L29	4521	L28 & (metadata markup xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L30	642	L29 & ((report\$3 spreadsheet) with (bulid\$3 generat\$3 creat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L31	8	L30 & xbrl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L32	0	L31 & map\$3 & iternal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L33	0	L30 & map\$3 & iternal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L34	120	L30 & map\$3 & internal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L35	84	L34 & (@ad<"20031024" @rlad<"20031024")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L36	0	L30 & map\$3 & (internal with metada) & (external with metadata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L37	0	L30 & map\$3 & (internal same metada) & (external same metadata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L38	0	L30 & map\$3 & (internal & metada) & (external & metadata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L39	21	L35 & metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L40	2	"20080034369".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L41	2	"7266821".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L42	37	(Hyperion same Solutions same Corporation).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L43	11	L42 & ((report\$3 spreadsheet) with (bulid\$3 generat\$3 creat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L44	1	L43 & XBRL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L45	4	(US-20030041077-\$ or US-20020023122-\$).did. or (US-6418400-\$ or US-6317750-\$).did.	US-PGPUB; USPAT	OR	ON	2010/11/03 15:17
L46	2	L45 & map\$3 & internal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L47	2	"20050071651".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L48	14	("20030041077" "20020023122")"pn."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L49	2825	webber.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L50	0	L49 & (XML near city)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L51	30	L49 & (XML)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L52	3	L51 & spreadsheet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L53	6	("20030041077" "20020023122" "6418400"). pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L54	2	L53 & internal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L55	1	L54 & (user same selection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L56	1	L53 & cell	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L57	0	L53 & grid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L58	3	L53 & field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L59	0	L53 & xnr1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L60	2	L53 & xbr1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L61	5	L53 & (metadata markup xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L62	2	L61 & head\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L63	2	L61 & definition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L64	0	L53 & (column near head\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L65	0	L53 & (column same head\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L66	0	L53 & (column same head\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L67	0	L53 & ((column row) same head\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L68	0	L53 & (dimensional)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L69	1	L53 & (dimension\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L70	5526	715/234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L71	1936	715/216-229.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L72	1936	(715/216-229).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L73	330	L70 & L71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L74	7132	L70 L71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L75	4521	L74 & (metadata markup xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L76	642	L75 & ((report\$3 spreadsheet) with (bulid\$3 generat\$3 creat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L77	8	L76 & xbrl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L78	0	L77 & map\$3 & iternal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L79	0	L76 & map\$3 & iternal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L80	120	L76 & map\$3 & internal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L81	84	L80 & (@ad<"20031024" @rlad<"20031024")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L82	0	L76 & map\$3 & (internal with metada) & (external with metadata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L83	0	L76 & map\$3 & (internal same metada) & (external same metadata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L84	0	L76 & map\$3 & (internal & metada) & (external & metadata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L85	21	L81 & metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L86	2	"20080034369".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L87	2	"7266821".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L88	37	(Hyperion same Solutions same Corporation).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L89	11	L88 & ((report\$3 spreadsheet) with (bulid\$3 generat\$3 creat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L90	1	L89 & XBRL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L91	4	(US-20030041077-\$ or US-20020023122-\$).did. or (US-6418400-\$ or US-6317750-\$).did.	US-PGPUB; USPAT	OR	ON	2010/11/03 15:17
L92	2	L91 & map\$3 & internal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L93	2	"20040210838".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L94	4	("20040210838" "20030041077").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L95	2	L94 & (spreadsheet cell row column)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L96	1	L95 & (user near (interface selection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L97	2	L95 & (user with (interface selection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L98	2	L95 & (display\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L99	0	L98 & row & collumn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L100	1	L98 & row & column	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L101	5526	715/234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L102	1936	715/216-229.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L103	1936	(715/216-229).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L104	4	("20040210838" "20030041077").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L105	1	L104 & (GUI (graphical near user) interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L106	8	internal & external & (meta adj data) & xml & (XBRL (extensible near business near reporting near language)) & (GUI (graphical near user) interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L107	15	(meta adj data) & xml & (XBRL (extensible near business near reporting near language)) & (GUI (graphical near user) interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L108	3	L107 & (@ad<"20031024" @rlad<"20031024")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L109	7132	L101 L102 L103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L110	14	L109 & (XBRL (extensible near business near reporting near language)) & (GUI (graphical near user) interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L111	5	L110 & (@ad<"20031024" @rlad<"20031024")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L112	0	(XBRL (extensible near business near reporting near language)) & (info near path)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L113	258	(info near path)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L114	14	L113 & (meta adj data) & xml & (GUI (graphical near user) interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L115	13	L114 & internal & external & (meta adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L116	2	"20050034060".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L117	480	(info enar path) & (meta adj data) & xml & (GUI (graphical near user) interface) & spreadsheet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L118	28	L109 & L117	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L119	8	L118 & (@ad<"20031024"@rlad<"20031024")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L120	6	(meta adj data) & (XBRL (extensible near business near reporting near language)) & (sever host central external) near (source database repository storage librar\$3 (data near warehouse))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L121	3595	(meta adj data) & (sever host central external) near (source database repository storage librar\$3 (data near warehouse))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L122	77	L109 & L121	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L123	30	L122 & (consolidat\$3 merg\$3 combin\$3) & (report (balanc \$3 near sheet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L124	21	L123 & (@ad<"20031024" @rlad<"20031024")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L125	837	internal & external & (meta adj data) & xml & ((report\$3 spreadsheet) with (build\$3 generat\$3 creat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L126	5	L125 & (XBRL (extensible near business near reporting near language)) & (GUI (graphical near user) interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L127	9	L125 & (XBRL (reporting near language)) & (GUI (graphical near user) interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L128	382	(XBRL (reporting near language)) & (GUI (graphical near user) interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L129	6	L128 & (meta adj data) & (sever host central external) near (source database repository storage librar\$3 (data near warehouse))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L130	330	((reporting near language)) & (GUI (graphical near user) interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L131	5	L130 & (meta adj data) & (sever host central external) near (source database repository storage librar\$3 (data near warehouse))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L132	211	(XBRL (extensible near business near reporting near language))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L133	97	L132 & (consolidat\$3 merg\$3 combin\$3) & (report (balanc \$3 near sheet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L134	30	L133 & (@ad<"20031024" @rlad<"20031024")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L135	1	L134 & (meta adj data) & (sever host central external) near (source database repository storage librar\$3 (data near warehouse))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L136	25	L134 & (sever host central external) & (source database repository storage librar\$3 (data near warehouse))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L137	0	L136 & ((meta adj data) same (sever host central external) near (source database repository storage librar\$3 (data near warehouse)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L138	25	L136 & (sever host central external) & (source database repository storage librar\$3 (data near warehouse))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L139	3	L138 & (meta adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L140	3	L138 & "data about data"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L141	3	L140 & (list\$3 table catalog\$3 menu popup window)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L142	3	L141 & (map\$4 match\$3 link \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L143	2	"20050071651".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L144	14	("20030041077" " 20020023122")"pn."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L145	2825	webber.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L146	0	L145 & (XML near city)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L147	30	L145 & (XML)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L148	3	L147 & spreadsheet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L149	6	("20030041077" " 20020023122" "6418400").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L150	2	L149 & internal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L151	1	L150 & (user same selection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L152	1	L149 & cell	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L153	0	L149 & grid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L154	3	L149 & field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L155	0	L149 & xnrl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L156	2	L149 & xbrl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L157	5	L149 & (metadata markup xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L158	2	L157 & head\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L159	2	L157 & definition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L160	0	L149 & (column near head \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L161	0	L149 & (column same head \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L162	0	L149 & (column same head \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L163	0	L149 & ((column row) same head\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L164	0	L149 & (dimensional)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L165	1	L149 & (dimension\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L166	5526	715/234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L167	1936	715/216-229.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L168	1936	(715/216-229).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L169	330	L166 & L167	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L170	7132	L166 L167	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L171	4521	L170 & (metadata markup xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L172	642	L171 & ((report\$3 spreadsheet) with (bulid\$3 generat\$3 creat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L173	8	L172 & xbrl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L174	0	L173 & map\$3 & ernal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L175	0	L172 & map\$3 & ernal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L176	120	L172 & map\$3 & ernal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L177	84	L176 & (@ad< "20031024" @rlad< "20031024")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L178	0	L172 & map\$3 & (internal with metada) & (external with metadata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L179	0	L172 & map\$3 & (internal same metada) & (external same metadata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L180	0	L172 & map\$3 & (internal & metada) & (external & metadata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L181	21	L177 & metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L182	2	"20080034369".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L183	2	"7266821".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L184	37	(Hyperion same Solutions same Corporation).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L185	11	L184 & ((report\$3 spreadsheet) with (bulid\$3 generat\$3 creat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L186	1	L185 & XBRL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L187	4	(US-20030041077-\$ or US-20020023122-\$).did. or (US-6418400-\$ or US-6317750-\$).did.	US-PGPUB; USPAT	OR	ON	2010/11/03 15:17
L188	2	L187 & map\$3 & internal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L189	2	"20050071651".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L190	14	("20030041077" "20020023122")"pn."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L191	2825	webber.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L192	0	L191 & (XML near city)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L193	30	L191 & (XML)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L194	3	L193 & spreadsheet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L195	6	("20030041077" "20020023122" "6418400").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L196	2	L195 & internal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L197	1	L196 & (user same selection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L198	1	L195 & cell	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L199	0	L195 & grid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L200	3	L195 & field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L201	0	L195 & xnrl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L202	2	L195 & xbrl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L203	5	L195 & (metadata markup xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L204	2	L203 & head\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L205	2	L203 & definition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L206	0	L195 & (column near head \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L207	0	L195 & (column same head \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L208	0	L195 & (column same head \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L209	0	L195 & ((column row) same head\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L210	0	L195 & (dimensional)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L211	1	L195 & (dimension\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L212	5526	715/234.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L213	1936	715/216-229.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L214	1936	(715/216-229).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L215	330	L212 & L213	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L216	7132	L212 L213	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L217	4521	L216 & (metadata markup xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L218	642	L217 & ((report\$3 spreadsheet) with (bulid\$3 generat\$3 creat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L219	8	L218 & xbrl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L220	0	L219 & map\$3 & iternal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L221	0	L218 & map\$3 & iternal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L222	120	L218 & map\$3 & iternal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L223	84	L222 & (@ad<"20031024"@rlad<"20031024")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L224	0	L218 & map\$3 & (internal with metada) & (external with metadata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L225	0	L218 & map\$3 & (internal same metada) & (external same metadata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L226	0	L218 & map\$3 & (internal & metada) & (external & metadata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L227	21	L223 & metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L228	2	"20080034369".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L229	2	"7266821".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L230	37	(Hyperion same Solutions same Corporation).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L231	11	L230 & ((report\$3 spreadsheet) with (bulid\$3 generat\$3 creat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L232	1	L231 & XBRL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L233	4	(US-20030041077-\$ or US-20020023122-\$).did. or (US-6418400-\$ or US-6317750-\$).did.	US-PGPUB; USPAT	OR	ON	2010/11/03 15:17
L234	2	L233 & map\$3 & internal & external	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L235	2	"20040210838".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L236	4	("20040210838" "20030041077").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L237	2	L236 & (spreadsheet cell row column)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L238	1	L237 & (user near (interface selection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L239	2	L237 & (user with (interface selection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L240	2	L237 & (display\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

L241	0	L240 & row & collumn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L242	1	L240 & row & column	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L243	4	("20030041077" "20050182777").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L244	2	L243 & (metadata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L245	3	L243 & (xml)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17
L246	2	L243 & (popup menu dialog enar box baloon dropdown window)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/03 15:17

11/ 3/ 2010 3:22:09 PM

H:\ Workspaces\ 10692525 new.wsp